





Series S Heater plate on top and bottom, heating coil around body with TRS system Series E Heating coil around body and bottom heater plate



- 1 The heater plate on top that would restrain the steam spoiling the cooked rice.
- 2 TRS system makes cooked rice warm at 70°C 76°C temp during plug-in.
- 3 The heating coil around body, the spread of heat would keep each grain of rice well-heated.
- 4 The large heater plate in bottom of rice cooker would make the cooked rice faster.

	Heater plate on top	2 TRS system	3 Heating coil around body	Heater plate in bottom
Series S	/	/	/	/
Series	×	×	/	/





Food grade plastic rack and spatula

ELECTRIC JAR RICE COOKER SERIES S	MAGIC STEAM	ELECTRIC JAR RICE COOKER SERIES E	MAGIC STEAM
I-POT KS-R11ST, KS-R19ST, KS-R23ST	/	I-POT KS-11ET/KS-11E KS-19ET/KS-19E, KS-23E	-
NEW WAVE KS-R18ST	/	NEW WAVE KS-18E	_
CLASSIC KS-1800	-	_	-



SC

I-POT KS-R11ST, KS-R19ST, KS-R23ST





CU

IC

Thermal Fuse Safety cuts off the operation in case of electrical malfunction.

ΙP

NEW WAVE KS-R18ST



CLASSIC KS-1800





- The heater plate on top that would restrain
- the steam spoiling the cooked rice.

 TRS system makes warm cooked rice at 70°C – 76°C temp during plug-in.
- The heating coil around body, the spread of heat would keep each grain of rice well-heated.
- The large heater plate in bottom of rice cooker would make the cooked rice faster.
- Cooking, Steaming, Boiling or simultaneously cooking and steaming in variety menus such as steamed fish, soup or steamed egg.
- Inner pot is made of aluminum alloy coated with "Poly-Flon" for easy cleaning.
 Automatic cord reel for easy & tidy storage
- after-use.




I-POT KS-11ET/KS-11E (pot) KS-19ET/KS-19E, KS-23E



NEW WAVE KS-18E






ON



Thermal Fuse Safety cuts off the operation in case of electrical malfunction.



 The large heater plate in bottom of rice cooker would make the cooked rice faster.



• Automatic cord reel for easy & tidy storage after-use.

Electric Jar Rice Cooker Specification, Series $oldsymbol{S}$								
Image	Model	Capacity	Family Size (serves)	Watt	Accessories	Pattern	Dimension(mm.)	
	KS-R11ST	1.0 L	2-4	485 W	Measuring cup, Plastic spatula, Steam rack	IB, IP	269x280x255	
	KS-R19ST	1.8 L	3-6	600 W	Measuring cup, Plastic spatula, Steam rack	IB, IC, IP, CU, SC	299x300x287	
	KS-R23ST	2.2 L	4-7	800 W	Measuring cup, Plastic spatula, Steam rack	IC, SC	299x324x287	
Î	NEW WAVE KS-R18ST	1.8 L	3-6	600 W	Measuring cup, Plastic spatula, Steam rack	CY, IG	308x306x285	
	CLASSIC KS-1800	1.8 L	3-6	600 W	Measuring cup	Q	316x315x290	

Electric Jar Rice Cooker Specification, Series 🗲							
Image	Model	Capacity	Family Size (serves)	Watt	Accessories	Pattern	Dimension(mm.)
***	KS-11E	1.0 L	2-4	485 W	Measuring cup	CH, PL, HC	269x280x255
N. S.	KS-11ET	1.0 L	2-4	485 W	Measuring cup, Plastic spatula	CH, HC	269x280x255
	KS-19E	1.8 L	3-6	600 W	Measuring cup	CH, PI, PL, HC	299x300x287
No.	KS-19ET	1.8 L	3-6	600 W	Measuring cup, Plastic spatula	CH, PI, HC	299x300x287
	KS-23E	2.2 L	4-7	800 W	Measuring cup	PI, HC	299x324x287
	NEW WAVE KS-18E	1.8 L	3-6	600 W	Measuring cup	CL, ON, OR	308x306x285







