

HOT & COLD

WATER DISPENSER

Water Button with just a gentle push

Modern Design &
Smart Function with
Japanese Standard





SB-210S

* Product is excluded bottle.





SB-C10S, SB-C10



SB-C10S



SB-C10



Modern button, easy to push (for SB-C10 and SB-C10S).



Water level indicator, detect and indicate the water level in an overhead drip tray (only for SB-C10 and SB-C10S).

SB-C9S, SB-C9



SB-C9S



SB-C9



Bottle connector perfectly fits with the bottle to prevent contaminant.

* Product is excluded bottle.

- Cooling bottle inside made of unleaded materials.
- Non-CFC compressor for fast cold water making.
- Bigger cooling coil makes faster cold water making.



SB-210S, SB-210





SB-29S, SB-29





Safety-button for dispensing hot water, must be pushed to dispenser hot water, preventing scalding.



Bottle connector perfectly fits with the bottle to prevent contaminant.



Light indicating compressor's working and temperature status.



Water level indicator, detect and indicate the water level in an overhead drip tray (only for SB-210 and SB-210S).

* Product is excluded bottle.

- Cooling bottle inside made of unleaded materials.
- Non-CFC compressor for fast cold water making.
- Bigger cooling coil makes faster cold water making.
- Temperature of hot water at 85-95°C

Cold water dispenser specification								
Image	Model	W	att Cooler	Refrigerant	Heating capability (Liter/hour)	Cooling capability (Liter/hour)	Color	Dimension(mm.)
	SB-C10S	-	96	R-134a	-	4.36	Two-tone Gray/White	303x1,044x402
	SB-C10	-	96	R-134a	-	4.36	Two-tone Gray/White	303x994x402
	SB-C9S	-	96	R-134a	-	4.36	White	305x1,080x380
H.	SB-C9	-	96	R-134a	-	4.36	White	305x997x380
Hot & Cold water dispenser specification								
	SB-210S	610	96	R-134a	6.00	4.00	Two-tone Gray/White	303x1,044x402
	SB-210	610	96	R-134a	6.00	4.00	Two-tone Gray/White	303x994x402
	SB-29S	610	96	R-134a	6.00	4.00	White	305x1,080x380
	SB-29	610	96	R-134a	6.00	4.00	White	305x997x380









